

PBRN Bibliography by Topic Categories

1.0 Defining characteristics of a PBRN

2.0 Rationale for PBRNs to study the medication use process and/or pharmacy settings

3.0 Organization and Development of Research Networks

3.1 Recruitment and Retention of Network Sites

3.2 Network Structure and Administration

3.3 Electronic Communication, Data Transfer and Storage

3.4 PBRN Evaluation

3.5 PBRN National Resource Center

4.0 Research and Methodological Issues

4.1 Theoretical Frameworks

4.2 Research Design

4.3 Research Ethics and Privacy (HIPAA and IRB)

4.4 Distinction between Research and Quality Improvement

5.0 PBRN Research in the Literature

5.1 Related to Medication Use Process

5.2 Related to General Primary Care

6.0 External Links

6.1 Resources and Support for PBRNs

6.2 PBRN Web sites

Earlene Lipowski, Ph.D.

Donald C. Brodie Scholar-in-Residence, AACP

February 16, 2007

1.0 Defining characteristics of a PBRN

Green LA, Hickner J. A short history of primary care practice-based research networks: from concept to essential research laboratories. *J Am Board Fam Med* 2006; 19 (1): 1-10.

Lanier D. Primary care practice-based research comes of age in the United States. *Annals of Family Medicine* 2005;3 (Suppl 1): S2-S4.

Lindbloom EJ, Ewigman BC, Hickner JM. Practice-based research networks: the laboratories of primary care research. *Medical Care* 2004; 42(Suppl 4): III-45-III-49.

Stewart TV. PBRN Development. AHRQ PBRN Pre-Conference. Washington DC: 20 July 2005.

Thomas P, Griffiths F, Kal J, O'Dwyer A. Networks for research in primary health care. *BMJ* 2001; 322: 588-590.

vanWeel C, Smith H, Beasley JW. Family practice research networks. Experiences from 3 countries. *Journal of Family Practice* 2000; 49: 938-943.

2.0 Rationale for PBRNs to study the medication use process and/or pharmacy settings

Ackroyd-Stolarz S, Hartnell N, MacKinnon NJ. Approaches to improving the safety of the medication use system. *Healthcare Quarterly* 2005; 8: 59-64.

Beck WT, Ablordeppey SY, Elmquist WF, Galt KA, Malone DC, Mount JK, Miller KW. Impact of the NIH Roadmap on the Future of Graduate Education in Colleges/Schools of Pharmacy. Research and Graduate Affairs Committee Report. June 2005. <http://www.aacp.org> Accessed 12 July 2005.

Chrischilles EA, Carter BL, Lund BC, Rubenstein LM, Chen-Hardee SS, Vowlker MD, Park T, Kuehl AK. Evaluation of the Iowa Medicaid pharmaceutical case management program. *J AM Pharm Assoc* 2004;44:337-349.

Community Pharmacy Research Consortium. <http://www.rpsqb.org.uk/worldofpharmacy/workingwithotherbodies/communitypharmacyresearchconsortium/>. Accessed 4 April 2007.

Hepler CD, Grainger-Rousseau TJ. Pharmaceutical care versus traditional treatment: is there a difference? *Drugs* 1995; 49: 1-10.

Knapp KK. Adding a research component to clinical practice. Annual Meeting of American College of Clinical Pharmacy, San Francisco, CA: October 23-26, 2005. (reported by Medscape cite: <http://www.medscape.com/viewprogram/4751>; accessed December 12, 2005)

Westfall JM, Mold J, Fagnan L. Practice-based research -"blue highways" on the NIH roadmap. *JAMA*. 2007;297:403-6.

3.0 Organization and Development of Research Networks

Contemporary challenges for practice-based research networks. *Annals of Family Medicine* 2005; 3: (supplement 1)

Love MM, Pearce KA, Williamson A, Barron MA, Shelton BJ. Patients, practices, and relationships: challenges and lessons learned from the Kentucky Ambulatory Network (KAN) CaRESS clinical trial. *J Am Board Fam Med* 2006; 19(1): 75-84

Reutzel TJ, Hogan M, Kazerooni PV. Development of a patient-based practice model in community pharmacy practice: academic-practice interface. *Am J Pharm Educ* 1999;63:119-26.

3.1 Recruitment and Retention of Network Sites

Hudson SV, Harris-Haywood S, Stange KC, Orzano AJ, Crabtree BF. Recruiting minority primary care practices into practice-based research. *Med Care* 2006;44:696-700.

Nagykaldi Z, Mold JW, Aspy CB. Practice facilitators: a review of the literature. *Fam Med* 200;37:581-88.

Nyden P. Academic incentives for faculty participation in community-based participatory research. *J Gen Internal Medicine* 2003; 18: 576-585.

O'Toole TP, Aaron KF, Chin MH, Horowitz C, Tyson F. Community-based participatory research: opportunities, challenges and the need for a common language. *Journal of General Internal Medicine* 2003; 18:592-594.

Pickard AS. Towards supporting scholarship in research by clinical pharmacy faculty. (Online) www.pharmacypractice.org 2006: 191-194.

Simpson SH, Johnson JA, Biggs C, Biggs RS, Kuntz A, Semchuk W, Taylor JG, Farris KB, Tsuyuki RT, for the Study of Cardiovascular Risk Intervention by Pharmacists Investigators. *Pharmacotherapy* 2001;21:731-739.

Thomas P, While A. Increasing research capacity and changing the culture of primary care towards reflective inquiring practice: the experience of the West London Research Network (WeLReN). *J Interprofessional Care* 2001; 15: online.

3.2 Network Structure and Administration

Beasley JW, Hahn DL, Weisen P, Plane MB, Manwell L. The cost of primary care research. *J Fam Prac* 2000;49:985-89.

Fenton E, Harvey J, Griffiths F, Wild A Stuart J. Reflections from organization science on the development of primary health care research networks. *Fam Prac* 2001; 18:540-544.

Green LA, White LL, Barry HC, Nease DE, Hudson BL. Infrastructure requirements for Practice-Based Research Networks. *Ann Fam Med* 2005;3(supplement 1):S5-S11.

Pearse KA, Love MM, Barron MA, Matheny SC, Mahfoud Z. How and why to study the practice content of a practice-based research network. *Ann Fam Med* 2004; 2:425-428.

Seston E, Hassell K, Cantrill J, Nicolson M, Noyce P, Schafheutle E. Experiences of establishing and maintaining a community pharmacy research network. *Primary Health Care Research and Development* 2003; 4: 245-255.

3.3 Electronic Communication, Data Transfer and Storage

Pace WD, Stanton EW. Electronic data collection options for practice-based research networks. *Annals of Family Medicine* 2005; 3(Suppl 1): S21-S29.

3.4. PBRN Evaluation

Clement S, Pickering A, Rowlands A, Thiru K, Candy B, De Lusignan, S. Towards a conceptual framework for evaluating primary care research networks. *British Journal of General Practice* 2000; 50: 651-652.

3.5 PBRN National Resource Center

primary Care Practice-Based Research Networks (PBRN) Resource Center. Indiana University and Purdue University at Indianapolis and NORC University of Chicago. <http://www.pbrnrc.iupui.edu>.

4.0 Research and Methodological Issues

Glasgow RE. Translating research to practice. Lessons learned, areas for improvement and future directions. *Diab Care* 2003;26:2451-56.

4.1 Theoretical Frameworks

Anderson LA, Gwaltney MK, Sundra DL, Brownson RC, Kane M, Cross AW, Mack R, Schwartz R, Sims T, White CR. Using concept mapping to develop a logic model for the prevention research centers program. *Prev Chron Dis* [serial online] 2006 Jan. available from http://www.cdc.gov/pcd/issues/2006/jan/05_0153.htm.

Byrne M, Cupples ME, Smith SM, Leathem C, Corrigan M, Byrne MC, Murphy AW. Development of a complex intervention for secondary prevention of coronary heart disease in primary care using the UK medical research council framework. *Am J Manage Care* 2006; 12:261-66.

Kaplan B, Brennan PF. Consumer informatics supporting patients as co-producers of quality. *J Am Med Inform Assoc* 2001;8(4): 309-316.

Litaker D, Tomolo A, Liberatore V, Stange KC, Aron D. Using complexity theory to build interventions that improve health care delivery in primary care. *J Gen Intern Med* 2006; 32: S30-34.

Stange K. The paradox of the parts and the whole in understanding and improving general practice. *International Journal for Quality in Health Care* 2002; 14(4): 267-268.

Tsai AC, Morton SC, Mangione CM, Keeler EB. A meta-analysis of interventions to improve care for chronic illnesses. *Am J Managed Care* 2005; 11 (8): 478-488.

4.2 Research Design

American Academy of Family Physicians. Methods for Practice-based research networks: challenges and opportunities. Proceedings from the Practice-based research network Methods Conference. San Antonio: 29 Nov-1 Dec 2001.

Crabtree BF, Miller WL, Stange KC. Understanding practice from the ground up. *J Fam Prac* 2001;50:881-887.

Dickinson LM, Basu A. Multilevel modeling and practice-based research. *Annals of Family Medicine* 3(Suppl 1): S52-S60.

Feifer C, Ornstein SM, Jenkins RG, et al. The logic behind a multimethod intervention to improve adherence to clinical practice guidelines in a nationwide network of primary care practices. *Eval Health Prof* 2006; 29:65-88.

Glasgow RE. RE-AIMing research for application: ways to improve evidence for family medicine. *J Am Board Fam Med* 2006;19:11-19.

Glasgow RE, Davidson KW, Dobkin PL, Ockene J, Spring B. Practical behavioral trials to advance evidence-based behavioral medicine. *Ann Behav Med* 2006;31:5-13.

Glasgow RE, Kleges LM, Dzewaltowski DA, Bull SS, Estabrooks P. The future of health behavior change research: what is needed to improve translation of research into health promotion practice? *Ann Behav Med* 2004;27(supplement):3-12.

Glasgow RE, Kleges LM, Dzewaltowski DA, Estabrook PA, Vogt TM. Evaluating the impact of health promotion programs: using the RE-AIM framework to form summary measures for decision making involving complex issues. *Health Educ Res* 2006; 31(epubl).

Glasgow RE, Lichtenstein E, Marcus AC. Why don't we see more translation of health promotion research to practice? Rethinking the efficacy-to-effectiveness transition. *Am J Pub Health* 2003;93:1261-1267.

Glasgow RE, Magid DJ, Beck A, Ritzwoller D, Estabrooks PA. Practical clinical trials for translating research to practice: design and measurement recommendations. *Med Care* 2005; 43(6): 551-557.

Glasgow RE, McKay HG, Piette JD, Reynolds KD. The RE-AIM framework for evaluating interventions: what can it tell us about approaches to chronic illness management? *Patient Educ Couns* 2001; 44:119-127.

Glasgow RE, Nelson CC, Stryker LA, King DK. Using RE-AIM metrics to evaluate diabetes self-management support interventions. *Am J Prev Med* 2006;30:67-73.

Green LW, Glasgow RE. Evaluating the relevance, generalizability and applicability of research: issues in external validation and translation methodology. *Eval Health Prof* 2006; 29:126-153.

Glasgow RE, Toobert DJ, Barrera M, Stryker LA. The chronic illness resources survey: cross validation and sensitivity to intervention. *Health Educ Res* 20;402-409.

Klesges LM, Estabrooks PA, Dzewaltowski DA, Bull SS, Glasgow RE. Beginning with the application in mind: designing and planning health behavior change interventions to enhance dissemination. *Ann Behav Med* 2005; 29(supplement):66-75.

Lanier D. Lost in translation: the value of qualitative data. *J Am Board Fam Prac* 2005; 18:409-10.

Pronk NP. Designing and evaluating health promotion programs. Simple rules for a complex issue. *Dis Manage Health Outcomes* 2003;11:149-157.

Sussman S, Valente TW, Rohrbach LA, Skara S, Pentz MA. Translation in the health professions: converting science into action. *Eval Health Prof* 2006;29:7-32.

Tunis SR, Stryer DB, Clancy CM. Practical clinical trials. Increasing the value of clinical research for decision making in clinical and health policy. *JAMA* 2003; 290: 1624-1632.

vanWeel C. Longitudinal research and data collection in primary care. *Ann Fam Med* 2005; 3(Suppl 1): 546-551.

vanWeel C, Weel-Baumgarten E, Mold J. The importance of longitudinal studies in family medicine: experiences of two practice-based research networks. *J Am Board Fam Med* 2006; 19: 69-74.

4.2 Research Ethics and Privacy (HIPAA and IRB)

Green LA, Lowery JC, Kowalski CP, Wyszewianski L. Impact of institutional review board practice variation on observational health services research. *Health Serv Res* 2006;41:214-30.

Pace WD, Staton EW, Holcomb S. Practice-based research network studies in the age of HIPAA. *Annals of Family Medicine* 2005; 3(Supple 1): S38-S45.

Wolf LE, Croughan M, Lo B. The challenges of IRB review and human subjects protections in practice-based research. *Medical Care* 2002; 40:521-529.

Wolf LE, Walden JF, Lo B. Human subjects issues and IRB review in practice-based research. *Annals of Family Medicine* 2005; 3(Suppl 1): S30-S37.

4.3 Distinction Between Research and Quality Improvement

Bodenheimer T, Yong DMD, MacGregor K, Hoiltrop JS. Practice-based research in primary care: facilitator of, or barrier to, practice improvement. *Annals of Family Medicine* 2005; 3(Supple2): S28-S32.

Handley MA, Hammer H, Schillinger D. Navigating the terrain between research and practice: a collaborative research network (CRN) case study in diabetes research. *J Am Board Fam Med* 2006; 19(1): 85-92.

Horn SD, DeJong G, Ryser DK, Veazie PJ, Teraoka J. Another look at observational studies in rehabilitation research: going beyond the holy grail of the randomized controlled trial. *Arch Phys Med Rehabil* 2005;86 (Supplement 2):S8-S15.

Mold JW, Peterson KA. Primary care practice-based research networks: working at the interface between research and quality improvement, *Annals of Family Medicine* 2005; 3(Supple 3): S12-S20,

Zerhouni, EA. Translational and clinical science – time for a new vision. *New England Journal of Medicine* 2005; 353: 162-1623.

5.0 PBRN Research in the Literature

5.1 Related to Medication Use Process

Eaton CB, Galliher JM, McBride PE, Bonham AJ, Kappus JA, Hickner J. Family physician's knowledge, beliefs, and a self-reported practice patterns regarding hyperlipidemia: a National Research Network (NRN) survey. *J Am Board Fam Med* 2006; 19(1): 46-53.

Hansen LB, Fernald D, Araya-Guerra R, Westfall JM, West D, Pace W. Pharmacy classification of prescriptions ordered in primary care: a report from the applied strategies for improving patient safety (ASIPS) collaborative. *J Am Board Fam Med* 2006; 19(1): 24-30.

Palen TE, Raebel M, Lyons E, Magid DM. Evaluation of laboratory monitoring alerts within a computerized physician order entry system for medication orders. *Am J Manag Care* 2006;12:389-395.

Parnes B, Niebauer L, Holcomb S, Dickinson M, Westfall J, VanVorst B, Pace W. Provider deferred decisions on hemoglobin A1c results: a report from the Colorado Research Network (CaReNet) and the High Plains Research Network (HPRN). *J Am Board Fam Med* 2006; 19(1): 20-23.

Raebel MA, Carroll NM, Andrade SE, Chester EA, Lafata JE, Feldstein A, Gunter MJ, Nelson WW, Simon SR, Chan KA, David RL, Platt R. Monitoring of drugs with a narrow therapeutic range in ambulatory care. *Am J Manag Care* 2006;12:268-274.

Roberts AS, Hopp T, Sorensen EW, Benrimoj SI, Chen TF, Herborg H, Williams K, Aslani P. Understanding practice change in community pharmacy: a qualitative research instrument based on organizational theory. *Pharm World Science* 2003; 25:227-234.

Simpson SH, Johnson JA, Tsuyuki RT. Economic impact of community pharmacist intervention in cholesterol risk management: an evaluation of the study of cardiovascular risk intervention by pharmacists. *Pharmacotherapy* 2001; 21:627-35.

Tsuyuki RT, Johnson JA, Teo KK, Simpson SH, Ackman ML, Biggs RS, Cave A, Chang W, Dzavik V, Farris KB, Galcin D, Semchuk W, Taylor JG for the Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP) Investigators. A randomized trial of the effect of community pharmacist intervention on cholesterol risk management. *Ann Intern Med* 2002;162:1149-1155.

vanWeel C, Bakx C, van den Hoogen H, Thien T, van den Bosch W. Long-term outcome of cardiovascular prevention: a Nijmegen academic family practices network study. *J Am Board Fam Med* 2006; 19: 62-68.

5.2 Other

Cohen DJ, Tallia AF, Crabtree BF, Young DM. Implementing health behavior change in primary care: lessons from Prescription for Health. *Annals of Family Medicine* 2005; S12-S19.

Fox CH, Brooks A, Zayas LE, McClellan W, Murray B. Primary care physicians' knowledge and practice patterns in the treatment of chronic kidney disease: an Upstate New York Practice-based Research Network (UNYNET) Study. *J Am Board Fam Med* 2006; 19(1): 54-61.

Green LA. Prescription for health: round 1 initial results. *Ann Fam Med* 2005; 3(suppl 2): 52-53.

Nutting PA, Goodwin MA, Flocke SA, Zyzanske SJ, Stange . Continuity of primary care: to whom does it matter and when. *Annals of Family Medicine* 2003; 1: 149-155.

Pearson ML, Wu S, Schaefer J, Bonomi AE, Shortell SM, Mendel PJ, Marsteller JA, Louis TA, Rosen M, Keeler EB. Assessing the implementation of the chronic care model in quality improvement collaboratives. *Health Services Research* 2005; 40: 978-996.

Curtis P, Dickinson P, Steiner J, Lanphear B, Vu K. Building capacity for research in family medicine: is the blueprint faulty? *Family Medicine* 2003; 35: 124-130.

Mold JW, Gregory ME. Best practices research. *Family Medicine* 2003; 35: 131-134.

6.0 External Links

6.1 Resources and Support for PBRNs

Case Western Reserve Practice-Based Research Training. List of archived seminars at <http://blog.case.edu/jjw17/2006/08/03/Schedule%20for%20PBRN%20seminar%20series%20final.doc> Access slides and audiopodcast of seminars at <http://blog.case.edu/jjw17/>

Dzewaltowski DA, Glasgow RE, Klesges LM, Estabrooks PA, Brock E. RE-AIM: evidence-based standards and a web resource to improve translation of research into practice. *Ann Behav Med* 2004;28:75-80. see <http://www.re-aim.org>

The Examining Community-Institutional Partnerships for Prevention Research Group. *Developing and Sustaining Community-Based Participatory Research Partnerships: A Skill-Building Curriculum*. 2006. www.cbprcurriculum.info

Federation of Practice Based Research Networks. <http://www.aafp.org>

Institute of Medicine. Clinical Research Roundtable. <http://www.iom.edu/?id=19179>

National Clinical Research Associates Program. <http://nihroadmap.nih.gov/clinicalresearch/overview-training.asp>.

National Research Network. American Academy of Family Physicians. <http://www.aafp.org/natnet.xml>.

Prescription for Health. Robert Wood Johnson Foundation and University of Colorado Health Sciences Center. <http://www.prescriptionforhealth.org/>

Prevention Research Centers Program. Centers for Disease Control. <http://www.cdc.gov/prc/>

Progress in Community Health Partnerships: Research, Education and Action. <http://pchp.press.jhu.edu>

6.2 Some PBRN Web Sites

Networks funded by Prescription for Health (Robert Wood Johnson Foundation) http://extranet.ahrq.gov/QuickPlace/health/Main.nsf/h_Toc/C5F677EBB4EFF921852570390072A4F9/?OpenDocument

ACORN: Ambulatory Care Outcomes Research Network

<http://www.acorn.fap.vcu.edu/index.html>

(Virginia Commonwealth University-Department of Family Practice)

Great site design; impressive portfolio of work

CaReNet: Colorado Research Network <http://fammed.uchsc.edu/carenet/>

(University of Colorado at Denver and Health Science Center-Department of Family Medicine)

complete description of web set-up; great ideas

IRENE: Iowa Research Network

<http://www.uihealthcare.com/depts/med/familymedicine/research/irene/index.html>

GRIN: Great Lakes Research-in-Practice Network <http://sitemaker.umich.edu/grin>
(Michigan State University-Dept of Family Practice & University of Michigan-Dept Family Medicine)

reference materials section includes organization chart, history, map, mission, structure , concept paper; offers web-based conference calls

MAFP Research Network: Minnesota Academy of Family Practice Research Network
<http://www.mafp.org/mafprn/mafprn.asp>

well-established and one of the oldest networks; website essentials

NYC RING: New York City Research & Improvement Networking Group
<http://www.yu.edu/aecomdb/ring/>

(Albert Einstein College of Medicine Department of Family and Social Medicine)

OKPRN: Oklahoma Physicians Resource/Research Network <http://www.okprn.org/>
(Oklahoma Academy of Family Physicians & University of Oklahoma Dept of Family and Prev Med)

member-friendly approach

SPUR-Net: Southern Primary care Urban Research Network
<http://www.spurnetwork.org/index.html>

(Baylor College of Medicine Family Practice Clinic, Houston, TX)

attractive; just the essentials